

Schoolgirl's Cardigan

with alternate Bands (10—16 YEARS)

Smu scotch double knitting



MATERIALS.

13 (14) (15) ozs. Enu Scotch Double Knitting Wool. Oue pair each Needles size 9 and 10. 7 Butons.

MEASUREMENTS.

Chest - - 29 ii. 31 in. 33 in. Length - - $18\frac{1}{2}$ in. 19 in. $19\frac{1}{2}$ in. Sleeve seam - 17 in. $17\frac{1}{2}$ in. 18 in. TENSION: 6 sts. and $8\frac{1}{2}$ rows to 1 sq. inch over stocking stitch.

ABBREVIATIONS: K., knit; p., purl; tog., together; st(s)., stitch(es); T.B.L., ough back of loops.

NOTE: This realist is given in three sizes, stitches and measurements for smallest size being given in the ordinary vay and larger sizes being bracketed in the following spaces.

BACK.

Using No. 10 needles, ast on 74 (80) (86) sts. and work in ribbing of k. 1, p. 1, for 3 inches. Change to No. 9 needls and work in stocking st. (1 row k., 1 row).) for 8 rows.

9th row. K. 3, increase by working twice into next st., k. to last sts., k. twice into next st., k. 4.

Continue in stocking t., increasing (as in 9th row) in every following 8th row until there are 90 (96) (102) sts on the needle.

Continue without shaping until work measures $12 \ (12\frac{1}{4}) \ 12\frac{1}{2})$ inches from the beginning.

Shape Armhole. Cast off 3 (4) (5) sts. at the beginning of the next 2 rows.

Next row. K. 3, k. 2 tog., k. to last 5 sts., k. 2 tog. T.B.L., k. 3.

Continue decreising in this manner in every alternate row until 76 (78) (80) sts. remain. Continue on tiese sts. until work measures $6\frac{1}{2}$ (6\frac{3}{4}) (7) incles from beginning of armhole. **Shape Show** 3s. Cast off 8 sts. at beginning of next 4 rows.

Cast off 8 (9) (9) sts. at beginning of next 2 rows.

Cast off remaining 28 (28) (30) sts.

LEFT FRON

Using No. 10 teedles, cast on 34 (38) (40) sts. and work in k. 1, p. 1 ribbing for 3 inches, decreasing 1 st. at end of last row for the second size only.

Change to No. 9 needles and work 8 rows in stocking stitch.

9th and every following 8th row, increase 1 st. at beginning of row until there are 42 (45) (48) sts. in the following manner:—K. 3, k. twice in next st., k. to end of row. Continue without shaping until work measures 12 (12\frac{1}{4}) (12\frac{1}{2}) inches from the beginning.

Shape Armhole. Cast off 3 (4) (5) sts. at beginning of next row to commence at side seam.

Next and every alternate Work without shaping.

Next and every alternate row (commencing at side edge). Decrease 1 st. by working 4th and 5th sts. together, until 35 (36) (37) sts. remain.

Continue on these sts. until work measures $5\frac{1}{4}$ $(5\frac{1}{2})$ $(5\frac{3}{4})$ inches from beginning of armhole shaping, ending last root centre from (neck edge).

Shape Neck.

Next row. Cast off 3 (3) sts. at neck edge, work to end of row. Decrease 1 st. at neck edge in next 8 rows.

Shape Shoulder.

1st row (commencing at sie edge). Cast off 8 sts. at beginning of rov.

2nd row. Work to end. Repeat these 2 rows once mee. Cast off remaining 8 (9) (9) 3.

RIGHT FRONT.

Follow instructions for left front, working the increases at the opposite end of the row, i.e., k. to last 5 sts., k. twice into next st., k. 4.

SLEEVES.

Commencing at the top and using No. 9 needles, cast on 16 st., and work 1 row without shaping.

Working in stocking st., increase 1 st. at each end of every row until there are 52 (54) (56) sts. on the needle.

Next row. Work without shaping.

Next row. Increas at each end of row. Repeat these last 2 rows until there are 70 (72) (74) sts. on the needle. Cast on 2 sts. at beginning of next 2 rows. This completes the shaping for the top of sleeve.


Work without shaping for 12 (14) (16) rows. Then decrease 1 st. at beginning and end of next and every following 6th row until 42 (44) (46) sts. remain.

Continue without shaping until sleeve seam measures $14 \ (14\frac{1}{2}) \ (15)$ inches.

Change to No. 10 needles and decreasing 1 st. at each end of 1st row work in k. 1, p. 1 ribbing for 3 inches. Cast off in rib.

FRONT EDGINGS.

1st Version using MOSS STITCH.
Right Front Edging. Using No. 10 needles.



cast on 9 sts. and work in moss st. as follows:

K. 1. * p. 1, k. 1, repeat from * to end of row.

Repeat this row throughout.

When work measures 1 (3) (4) inch, make 1st buttonhole as follows:

1st row. Work over sis., cast off 2 sts., work remaining 4 sts.

2nd row. Cast on 2 sls. over 2 cast off in previous row.

Make 5 more buttonholes at intervals of 2³/₄ (2³/₄) (3) inches measuring from base of previous buttouhole.

Work another 24 (2) inches. Cast off.

Left Front Edging. Follow instructions for right front edging making it the same length and omitting the buttonholes.

NECK BAND (1st Version).

Cast on 9 sts. and work 3 rows in moss st. as for front edgings.

Next row. Work across 4 sts., turn and work 2 rows on these 4 sts.

Break off wool and join it in at centre and work 3 rows on the second set of 5 sts.

Next row. Work across the 9 sts. Continue in moss st. until band is long enough (approx. 13 (13½) (14) inches) to go round the neck after front edgings have been sewn on. Cast off.

FRONT EDGINGS.

2nd Version using RIBBING.

Right Front Ed. ieg. Using No. 10 needles, cast on 10 sts. and work in k. 1. p. 1 ribbing for $\frac{1}{4}$ ($\frac{3}{4}$) ($\frac{1}{4}$) inch, then make 1st buttonhole as follows:—Is row. Work 4 sts., cast off 2 sts., work ming 4 sts. 2nd row. Cast of 2 sts. over the 2 cast off in previous row. Make 5 nore buttonholes at intervals of $2\frac{3}{4}$ ($2\frac{3}{4}$) (3) nches, measuring from base of previous butonhole. Work another $2\frac{1}{4}$ ($2\frac{1}{2}$) inches. Leave these sts. on a spare needle.

Left Front Edging. Follow instructions for Right Fore Loging omitting buttonholes.

NECK BAND (2nd Version).

Sew up shouler seams.

Commence with needle containing the 10 sts of P. L. Pon Edging and pick up 15 (17) (18) sts. u, b ht Sid of Neck, 28 (28) (30) sts. across is of eck, 15 (17) (18) sts. down Left Sideof Neck, then slip 10 sts. of Left Front Edging on to needle. Work on these 78 (82) 66) sts. in k. 1, p. 1 ribbing for ½-inch take a buttonhole. Work another ½-inch. Cast off in rib.

TO MAKE UP.

edles bing nee

TOV

Press with hot iron over a damp cloth.

Sew up shoulder, side and sleeve seam with a back stitch seam.

Sew on front edgings slightly stretched and neck band. Sew, on buttons to ratch buttonholes.



Copyright printed in England.

Do write, if in need of advice to Janet Minton, Emu Wools Ltd.,

29 Great Portland Street, Oxford Circus, London, W.I.